

TD3 ceiling fans are a sleek and attractive option for indoor or outdoor applications. The high efficiency DC motor is ultra-quiet, making this fan the perfect choice when you need high airflow, and a striking looking option for light commercial or domestic usage.



FEATURES & BENEFITS



OPTIONAL LIGHT KIT



SUPERIOR SOUND PERFORMANCE



OUTDOOR USE FOR NON-METAL FINISHES



6 SPEED REMOTE



HIGH EFFICIENCY DC MOTOR



REVERSIBLE FOR WINTER MODE

Fan Model	Dia (mm)	Airflow (I/s)	w	Amps	Weight kg	Height (mm)
TD3-56	1400	4030	30	0.12	7.3	335
TD3-70	1788	4680	30	0.12	6.7	335
TD3-56-L	1400	4030	30	0.12	7.3	345
TD3-70-L	1788	4680	30	0.12	6.7	345

ANCILLARIES



900MM EXTENSION ROD

FEATURES

- High Efficiency DC motor
- 6 Speed Remote
- Suitable for mounting on ceilings with pitch angles up to and including 22°
- Fully reversible for winter mode
- Optional 24 Watt LED light kit, available in warm/cool
- Black/White models rated for outdoor use (IP23)
- Optional 900mm extension rod
- Extensive warranty of up to 10 years*

WIRING

Fans must be wired in accordance with the AS 3000 wiring rules together with the fan manual supplied.

CONSTRUCTION

Fans are made from ABS plastic with optional satin nickel mount and hub (1400mm) or natural timber with optional satin nickel mount and hub (1788mm), with models (except those in satin nickel) being rated for outdoor use.



SUGGESTED SPECIFICATION

High flow ceiling fans shall of the TD3 range as supplied by Pacific HVAC Engineering. The fans shall be complete with a high efficiency 6 speed DC motor, suitable for forward and reverse modes. Fan mount and blades shall be ABS plastic and/or natural timber when rated for outdoors.

*contact Pacific HVAC Engineering for full warranty details

TRIDENT 56 (AVAILABLE WITH LIGHT OPTION)



SATIN NICKEL WITH WALNUT BLADES



GLOSS WHITE



BLACK



BLACK WITH
WALNUT BLADES

TRIDENT 70 (AVAILABLE WITH LIGHT OPTION)



SATIN NICKEL WITH WALNUT BLADES



GLOSS WHITE



BLACK



BLACK WITH WALNUT BLADES

APPLICATIONS







Domestic Spaces

Office Spaces

Outdoor Spaces

TECHNICAL DRAWINGS



(WITH LIGHT)



TD3-56



(WITH LIGHT)

TD3-70



Pacific HVAC Engineering

Head office

2/63 Wells Road Chelsea Heights Victoria 3196 Australia

PACIFICHVAC.COM

- (1300 733 833 (AU)
- © 0800 100 326 (NZ)
- info@pacifichvac.com





